

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.39

✓ *U.S. Department of Agriculture*
LIBRARY,
TRADE LIST
Washington, D. C.

Old Colony Nursery

SPRING, 1911

T. R. WATSON

PLYMOUTH, MASSACHUSETTS

TRADE LIST

Old Colony Nursery

SPRING, 1911

T. R. WATSON

PLYMOUTH, MASSACHUSETTS

CANCEL ALL PREVIOUS LISTS.

SPRING TRADE LIST, 1911.

1840 Old Colony Nursery 1911

T. R. Watson

Plymouth, Massachusetts

Prices on this list net and subject to stock not being sold.

GUARANTEE.—We take the greatest pains to have every plant marked true to name. Any plant incorrectly marked will be promptly replaced, or money returned. We do not guarantee any more than the original cost of the plant.

We can not guarantee plants to live, at the prices of this catalogue. We send out young, thrifty plants, which should live if properly planted and cared for.

Delivery of all packages to freight or express free.

We do not pay either freight or express.

All plants at the risk of the purchaser after they are delivered to the public carrier.

Please say whether you will have your order sent by freight or by express.

Meeting dates: Where sufficient notice is given, weather permitting, plants will be shipped on a given date.

Please give date on which you want them shipped, and not the date on which you want them to arrive.

No man living can tell how long it will take a freight package to reach any point in the country, at a moment's notice.

On orders received before the middle of March, the schedule time of freight will be ascertained, if desired.

Express packages arrive in Boston on day of shipment.

Express packages arrive in New York on following day.

Freight packages arrive in Boston the day after shipment.

Freight packages due to arrive in New York the day after shipment.

TERMS.—Cash with order or satisfactory references, except where parties are known.

Bills of regular customers become due June 1st for Spring shipments; January 1st for Fall shipments.

Box, 10 cents to 50 cents. Bales, 25 cents to \$1.50.

CASES.

| | | | |
|-----------------------------|--------|-----------------------------|--------|
| 2 ft. by 2 ft. by 10 ft., | \$2.00 | 20 in. by 20 in. by 10 ft., | \$1.75 |
| 2 ft. by 2 ft. by 8 ft., | 1.75 | 20 in. by 20 in. by 8 ft., | 1.50 |
| 2 ft. by 2 ft. by 6 ft., | 1.50 | 20 in. by 20 in. by 6 ft., | 1.25 |
| 2 ft. by 2 ft. by 5 ft., | 1.25 | 20 in. by 20 in. by 5 ft., | 1.00 |
| 2 ft. by 2 ft. by 4 ft., | 1.00 | 20 in. by 20 in. by 4 ft., | .75 |
| 16 in. by 16 in. by 10 ft., | 1.50 | 16 in. by 16 in. by 6 ft., | 1.00 |
| 16 in. by 16 in. by 8 ft., | 1.25 | 16 in. by 16 in. by 5 ft., | .75 |
| 16 in. by 16 in. by 4 ft., | | | .50 |

DECIDUOUS TREES AND SHRUBS.

Fifty at the rate for 100.

Five at the rate for 10.

Less than five at the rate for ten, where the price is twenty-five cents or over.

Less than five, add five cents each to rate for ten, where the rate for ten is less than twenty-five cents.

Prices subject to stock not being sold.

| | | | Per 10 | Per 100 |
|-----|---|--------------|--------|---------|
| 50 | <i>Acer dasycarpum</i> , Silver Maple, | 6 to 8 ft. | 2.00 | 15.00 |
| 700 | | 3 to 5 ft. | 1.25 | 10.00 |
| 75 | var. <i>Wieri laciniatum</i> , | 5 to 6 ft. | 2.00 | 15.00 |
| 50 | <i>palmatum</i> , Japanese Maple (type) | 5 to 7 ft. | 5.00 | 40.00 |
| 40 | <i>palmatum atropurpureum</i> , | 2 to 3 ft. | 5.00 | |
| 100 | <i>Pennsylvanicum (striatum)</i> | 4 to 5 ft. | 4.00 | 35.00 |
| 150 | | 3 to 4 ft. | 2.50 | 20.00 |
| 200 | <i>platinoides</i> , | 8 to 10 ft. | 6.00 | 50.00 |
| 500 | | 6 to 7 ft. | 1.50 | 12.00 |
| 25 | <i>Pseudo-Platanus</i> , | | | |
| | 1½ to 2 in. caliper, 10 to 12 ft. | 10.00 | | |
| 50 | 1 in. caliper, 8 to 10 ft. | 5.00 | | |
| 250 | | 4 to 5 ft. | 1.75 | 15.00 |
| 75 | <i>saccharinum</i> , Sugar Maple, | 6 to 8 ft. | 2.50 | 20.00 |
| 100 | <i>spicatum</i> , | 3 to 4 ft. | 2.50 | 20.00 |
| 100 | | 2 to 3 ft. | 2.00 | 15.00 |
| 95 | <i>Schwedleri</i> , | 5 to 6 ft. | 4.50 | 40.00 |
| 5 | <i>Tartaricum</i> , var. <i>Ginnala</i> , | 8 to 10 ft. | 5.00 | |
| 300 | | 3 to 4 ft. | 2.50 | 20.00 |
| 100 | | 2 to 3 ft. | 2.00 | 15.00 |
| 10 | <i>Æsculus Hippocastaneum</i> , heavy, | 10 to 12 ft. | 15.00 | |
| 25 | | 8 to 9 ft. | 7.50 | |
| 80 | | 6 to 8 ft. | 5.00 | 40.00 |
| 50 | <i>rubicunda</i> , 1¼ in. up, cal. | 8 to 10 ft. | 10.00 | |
| 50 | <i>macrostachya</i> , | 12 to 18 in. | 1.50 | |
| 100 | <i>Alnus incana</i> , | 5 to 6 ft. | 2.00 | 15.00 |
| 200 | | 3 to 4 ft. | 1.00 | 8.00 |
| 500 | <i>Amelanchier Botryapium</i> , | 12 to 18 in. | 1.00 | 8.00 |
| 100 | <i>Canadensis</i> , | 3 to 4 ft. | 1.50 | 12.00 |
| 100 | | 2 to 3 ft. | 1.25 | 10.00 |
| 10 | <i>rotundifolia</i> , | 18 to 24 in. | 2.50 | |

| | | | Per 10 | Per 100 |
|------|--|---------------------|--------------|---------|
| 25 | Andromeda arborea, | 18 to 24 in. | 3.50 | |
| 20 | Ligustrina, | 12 to 18 in. | 2.00 | |
| 20 | racemosa, | 18 to 24 in. | 2.50 | |
| 50 | Japonica, | 12 to 15 in. | 7.50 | |
| 175 | Aralia pentaphylla, | 3 to 4 ft. | 1.25 | 10.00 |
| 200 | | 2 to 3 ft. | 1.00 | 8.00 |
| 50 | Azalea arborescens, | 18 to 24 in. | 4.00 | |
| 100 | | 12 to 18 in. | 3.00 | 25.00 |
| 40 | calendulacea, | 15 to 18 in. | 3.00 | |
| 50 | | 12 to 15 in. | 2.50 | |
| 500 | mollis, yellow or red, | 15 in. | 3.00 | 25.00 |
| 75 | nudiflora, | 12 to 15 in. | 3.00 | 25.00 |
| 80 | pontica, 10 nam. varieties, | 15 to 18 in. | 6.00 | |
| 150 | Vaseyi, | 12 to 18 in. | 3.00 | 25.00 |
| 250 | viscosum, | 12 to 18 in. | 2.50 | 20.00 |
| 300 | Baccharis halimifolia, | 4 to 5 ft. | 1.25 | 10.00 |
| 300 | | 3 to 4 ft. | 1.00 | 8.00 |
| 1500 | Berberis Thunbergii, light, | trans. | 18 to 24 in. | 1.00 |
| 300 | | | 12 to 18 in. | 1.00 |
| 300 | | | 12 to 15 in. | 5.00 |
| 250 | vulgaris, | 2 to 3 ft. | 1.00 | 8.00 |
| 750 | | 18 to 24 in. | .50 | 4.00 |
| 600 | purpurea, | 2 to 3 ft. | 1.00 | 7.00 |
| 600 | | 18 to 24 in. | .50 | 4.00 |
| 25 | Betula alba, | 4 to 5 ft. | 1.00 | |
| 100 | | 2 to 3 ft. | .75 | 5.00 |
| 40 | alba, var. laciniata, | 8 to 10 ft. | 6.00 | |
| 45 | | 2 to 3 ft. | 2.50 | |
| 450 | nigra, bushy, | 3 to 5 ft. | 3.00 | 25.00 |
| 300 | papyrifera, | 6 to 8 ft. | 3.00 | 25.00 |
| 500 | | 5 to 6 ft. | 2.00 | 15.00 |
| 750 | | 3 to 4 ft. | 1.00 | 8.00 |
| 200 | populifolia, | 4 to 5 ft. | 1.50 | 10.00 |
| 300 | | 3 to 4 ft. | 1.25 | 8.00 |
| 600 | Caragana arborescens, | 3 to 4 ft. | 1.50 | 12.00 |
| 300 | | 2 to 3 ft. | 1.25 | 10.00 |
| 200 | Calycanthus floridus, | 2 to 3 ft. | 1.25 | 10.00 |
| 400 | | 18 to 24 in. | 1.00 | 8.00 |
| 400 | Caryopteris Mastacanthus, blue spiræa, | 18 to 24 in. | 1.00 | 8.00 |
| 300 | | 12 to 18 in. | .80 | 6.00 |
| 60 | Castanea sativa, American Chestnut, | 4 to 5 ft. | 2.50 | |
| 50 | Catalpa speciosa, | 1½ to 2 in. caliper | 5.00 | |
| 300 | | 5 to 6 ft. | 2.00 | 15.00 |
| 300 | | 4 to 5 ft. | 1.50 | 12.00 |

| | | | Per 10 | Per 100 |
|------|---------------------------------------|--------------|--------|---------|
| 100 | Ceanothus Americanus, | 2 ft. | 1.25 | 10.00 |
| 200 | | 18 to 24 in. | 1.00 | 8.00 |
| 10 | Celtis occidentalis, | 8 to 10 ft. | 5.00 | |
| 10 | | 6 to 8 ft. | 3.00 | |
| 10 | Cercidiphyllum Japonicum, heavy, | 5 to 6 ft. | 10.00 | |
| 50 | | 2 to 3 ft. | 2.50 | |
| | Cerasus; see Prunus. | | | |
| 25 | Cercis Canadensis, | 4 to 5 ft. | 5.00 | |
| 200 | | 2 to 3 ft. | 1.50 | 12.00 |
| 75 | Chionanthus Virginica, | 2 to 3 ft. | 2.00 | |
| 25 | Cladrastis tinctoria (Virgilea lutea) | 5 to 6 ft. | 4.00 | |
| 100 | | 4 to 5 ft. | 3.50 | 30.00 |
| 170 | Clethra alnifolia, | 3 to 4 ft. | 1.50 | 12.00 |
| 250 | | 2 to 3 ft. | 1.00 | 8.00 |
| 800 | | 18 to 24 in. | .75 | 5.00 |
| 125 | Cornus florida, | 4 to 5 ft. | 4.00 | 30.00 |
| 125 | | 3 to 4 ft. | 3.00 | 25.00 |
| 20 | rubra, | 3 to 4 ft. | 7.00 | |
| 320 | Mas., | 3 to 4 ft. | 2.00 | 15.00 |
| 60 | paniculata, | 4 to 5 ft. | 2.00 | |
| 125 | | 3 to 4 ft. | 1.50 | 12.00 |
| 100 | | 2 to 3 ft. | 1.00 | 8.00 |
| 150 | sanguinea, | 3 to 4 ft. | 1.25 | 10.00 |
| 200 | | 2 to 3 ft. | 1.00 | 8.00 |
| 1000 | | 18 to 24 in. | .75 | 6.00 |
| 75 | sericea, | 4 to 5 ft. | 1.50 | 12.00 |
| 50 | | 3 to 4 ft. | 1.25 | 10.00 |
| 1000 | | 18 to 24 in. | .75 | 6.00 |
| 80 | stolonifera, | 3 to 4 ft. | 1.50 | 12.00 |
| 50 | stolonifera, var. Siberica, | 3 to 4 ft. | 1.50 | 12.00 |
| 200 | | 2 to 3 ft. | 1.25 | 10.00 |
| 500 | | 18 to 24 in. | 1.00 | 8.00 |
| 25 | var. flaviramea, | 2 to 3 ft. | 1.50 | |
| 80 | | 18 to 24 in. | 1.00 | 9.00 |
| 2 | Crataegus cordata, | 8 ft. | 10.00 | |
| 12 | | 2 to 3 ft. | 2.00 | |
| 10 | melanocarpa, | 4 to 5 ft. | 2.50 | |
| 45 | mollis, | 4 to 5 ft. | 2.50 | |
| 50 | oxyacantha, dble. pink, | 5 to 6 ft. | 4.00 | |
| 50 | | 4 to 5 ft. | 3.00 | |
| 50 | oxyacantha, Paul's scarlet, | 5 to 6 ft. | 4.00 | |
| 50 | | 4 to 5 ft. | 3.00 | |
| 50 | oxyacantha, dble. white, | 5 to 6 ft. | 4.00 | |
| 50 | | 4 to 5 ft. | 3.00 | |

| | | | Per 10 | Per 100 |
|-----|---|----------------------|----------------|------------|
| 100 | Cytisus Laburnum, | | 6 to 8 ft. | 4.00 35.00 |
| 50 | scoparius, | | 3 to 4 ft. | 2.50 |
| 100 | | | 2 to 3 ft. | 1.25 10.00 |
| 500 | scoparius seedlings, | | | 5.00 |
| 100 | Desmodium penduliflorum, purple, | | 3 to 4 ft. | 1.75 15.00 |
| 190 | Deutzia gracilis, | | stocky, 24 in. | 1.50 12.00 |
| 75 | | | stocky, 18 in. | 1.00 8.00 |
| 375 | | stocky, 12 to 18 in. | .75 | 6.00 |
| 60 | gracilis, rosea, | | 2 to 3 ft. | 1.25 10.00 |
| 35 | parviflora, | | 12 to 18 in. | 1.25 |
| 150 | scabra, dble. rose, | | 3 to 4 ft. | 1.00 8.00 |
| 50 | | | 2 to 3 ft. | .75 6.00 |
| 200 | | | 18 to 24 in. | .60 5.00 |
| 200 | dble. white, | | 3 to 4 ft. | 1.00 8.00 |
| 200 | | | 24 in. | .60 5.00 |
| 200 | Fortunei, single white, | | 3 to 4 ft. | 1.00 8.00 |
| 200 | | | 24 in. | .60 5.00 |
| 300 | Pride of Rochester, | | 3 to 4 ft. | 1.00 8.00 |
| 200 | | | 24 in. | .60 5.00 |
| 75 | Diervilla (Weigela) rosea, | | 3 to 4 ft | 1.75 15.00 |
| 350 | rosea, | | 2 to 3 ft. | 1.50 12.00 |
| 200 | variegata, | | 2 to 3 ft. | 1.50 12.00 |
| 150 | | | 18 to 24 in. | 1.25 10.00 |
| 50 | Eleagnus hortensis, Bohemian Olive, | | 2 to 3 ft. | 2.00 |
| 75 | longipes, | | 2 to 3 ft. | 1.50 12.00 |
| 150 | | | 18 to 24 in. | 1.00 8.00 |
| 700 | Euonymous Japonicus, | | 12 to 24 in. | 1.25 10.00 |
| 35 | Europaeus, | | 3 to 4 ft. | 1.50 |
| 100 | Bungeanus, | | 4 to 5 ft. | 2.00 15.00 |
| | var. radicans; see vines. | | | |
| 15 | Fagus sylvatica, | | 8 to 10 ft. | 10.00 |
| 100 | | | 2 to 3 ft. | 2.00 15.00 |
| | coll. seedlings, | | 1 to 2 ft. | .75 5.00 |
| 25 | asplenifolia, | | 3 to 4 ft. | 10.00 |
| 15 | var. weeping, | | 8 to 10 ft. | 15.00 |
| 25 | | | 4 to 5 ft. | 10.00 |
| 25 | var. weeping purpurea, new, | | 3 to 4 ft. | 15.00 |
| 70 | purpurea, seedlings, | | 4 to 5 ft. | 3.00 25.00 |
| 50 | purpurea, Rivers, | | 3 to 4 ft. | 4.00 |
| 290 | Forsythia Fortunei, heavy, trans., '09, | 3 to 4 ft. | 1.20 | 10.00 |
| 290 | heavy, trans., '09, | 2 to 3 ft. | 1.00 | 8.00 |
| 300 | | light, 2 to 3 ft. | .75 | 6.00 |
| 175 | intermedia, heavy trans., '09, | 4 to 5 ft. | 1.75 | 15.00 |
| 500 | heavy trans., '09, | 3 to 4 ft. | 1.20 | 10.00 |
| | | light, 2 to 3 ft. | 1.00 | 8.00 |

| | | Per 10 | Per 100 |
|------|---|------------------------|------------|
| 125 | <i>Forsythia suspensa</i> , | 3 to 4 ft. | 2.00 15.00 |
| 75 | <i>Ginkgo biloba</i> , | 3 to 4 ft. | 2.50 |
| 25 | <i>Halesia tetraptera</i> , | 3 to 5 ft. | 2.50 |
| 330 | <i>Hamamelis Virginiana</i> , | 2 to 3 ft. | 1.25 12.00 |
| 500 | <i>Hibiscus Syriacus</i> , | cut back to 2 to 3 ft. | 1.25 12.00 |
| | <i>Amplissima</i> , dble, dark rose. | | |
| | <i>Anemonæflorus</i> , dble, dark red. | | |
| | <i>Boule de Feu.</i> , dble, bright red. | | |
| | <i>Carnea plena</i> , semi dble, rose. | | |
| | <i>Coelestis</i> , single blue. | | |
| | <i>Elegantissima</i> , semi dble, white. | | |
| | <i>Pulcherrima</i> , semi dble, rosy white. | | |
| | <i>Rubis</i> , single red. | | |
| | <i>Speciosa</i> , dble, fleshy white. | | |
| | <i>Totus albus</i> , single pure white. | | |
| 300 | <i>Hippopæa rhamnoides</i> , | 3 to 4 ft. | 1.50 12.00 |
| 400 | | 2 to 3 ft. | 1.25 10.00 |
| 200 | | 18 to 24 in. | 1.00 8.00 |
| 200 | <i>Hydrangea arborescens</i> , | 24 in. | 1.00 8.00 |
| 65 | <i>paniculata grandiflora</i> , | 3 to 4 ft. | 1.50 |
| 600 | | 2 to 3 ft. | 1.25 10.00 |
| 75 | <i>Hypericum aureum</i> , | 3 to 4 ft. | 2.00 15.00 |
| 200 | | 18 to 24 in. | 1.50 10.00 |
| 300 | <i>prolificum</i> , | 24 to 30 in. | 1.50 10.00 |
| 100 | <i>Ilex verticillata</i> , | 18 to 24 in. | 1.50 12.00 |
| 50 | | 12 to 18 in. | 1.25 10.00 |
| 100 | <i>Jasminium nudiflorum</i> , | 12 to 18 in. | 2.00 15.00 |
| 25 | <i>Kalmia latifolia</i> , with ball, | 24 in. | 5.00 |
| 200 | | 15 in. | 3.50 30.00 |
| 100 | <i>Kerria Japonica</i> , single yellow, | 2 to 3 ft. | 1.25 8.00 |
| 100 | | 18 to 24 in. | 1.00 7.00 |
| 125 | double, | 2 to 3 ft. | 1.25 8.00 |
| 150 | variegated, | 18 to 24 in. | 1.25 10.00 |
| 350 | | 12 to 18 in. | 1.00 8.00 |
| 15 | <i>Kelreuteria paniculata</i> , | 8 to 10 ft. | 5.00 |
| 50 | | 2 to 3 ft. | 2.00 15.00 |
| 100 | <i>Larix Europæa</i> , | 2 to 3 ft. | 2.50 20.00 |
| 200 | <i>Ligustrum Amurense</i> , | 2 to 3 ft. | 1.00 8.00 |
| 400 | <i>Ibota</i> , | 2 to 3 ft. | 1.00 7.00 |
| 200 | | 18 to 24 in. | .75 5.00 |
| 1400 | <i>ovalifolium</i> , | 3 ft. up. | 1.00 6.00 |
| 200 | | 2 to 3 ft. | .75 5.00 |
| 1000 | | 18 to 24 in. | .50 3.00 |
| 100 | <i>Regelianum</i> , extra, | 3 ft. | 1.25 10.00 |

| | | | Per 10 | Per 100 |
|------|--------------------------------------|--------------|--------|---------|
| 500 | Ligustrum Regelianum, | 2 to 3 ft. | 1.00 | 8.00 |
| 250 | | 18 to 24 in. | .75 | 6.00 |
| 100 | Lindera benzoin, | 2 ft. | 1.50 | 12.00 |
| 300 | Liriodendron tulipifera, Tulip Tree, | 4 to 6 ft. | 2.00 | 15.00 |
| 100 | | 2 to 3 ft. | 1.25 | 10.00 |
| 300 | Lonicera Bella albida, | 3 to 4 ft. | 1.25 | 10.00 |
| 500 | candida, | 2 to 3 ft. | 1.00 | 8.00 |
| 200 | rosea, | 3 to 4 ft. | 1.25 | 10.00 |
| 400 | atrorosea, | 2 to 3 ft. | 1.00 | 8.00 |
| 10 | chrysanthia, | 2 to 3 ft. | 2.00 | |
| 50 | Korolkowii, | 4 to 5 ft. | 1.75 | 15.00 |
| 25 | | 3 to 4 ft. | 1.50 | 12.00 |
| 350 | Morrowi, | 2 to 3 ft. | 1.00 | 8.00 |
| 350 | Ruprechtiana, | 3 to 4 ft. | 1.25 | 10.00 |
| 30 | | 2 to 3 ft. | 1.00 | |
| 250 | Lycium vulgare Matrimony vine, | 2 to 3 ft. | 1.00 | 8.00 |
| 25 | Magnolia Soulangeana, | 3 to 4 ft. | 10.00 | |
| 20 | speciosa, | 3 ft. | 10.00 | |
| 30 | stellata (Halleana) | 24 in. | 10.00 | |
| 50 | tripetala, | 3 to 4 ft. | 3.00 | |
| | Malus; see Pyrus. | | | |
| 50 | Morus, Mulberry, Downing, | 6 to 8 ft. | 3.00 | |
| 20 | Myrica cerifera, | 2 to 3 ft. | 2.00 | |
| 125 | | 18 to 24 in. | 1.50 | 12.00 |
| 500 | | 12 to 18 in. | 1.25 | 10.00 |
| 130 | Nyssa multiflora, | 12 to 18 in. | 1.00 | 8.00 |
| 500 | seedlings, | 6 to 12 in. | | 3.00 |
| 65 | Philadelphus aureus, | 12 to 18 in. | 1.20 | 10.00 |
| 150 | coronarius, | 3 to 4 ft. | 1.25 | 10.00 |
| 1000 | | 2 to 3 ft. | 1.00 | 8.00 |
| 500 | grandiflorus, | 2 to 3 ft. | 1.25 | 10.00 |
| 30 | speciosissimus, | 3 to 4 ft. | 1.50 | |
| 200 | Physocarpus opulifolia, | 3 to 4 ft. | 1.25 | 10.00 |
| 500 | | 2 to 3 ft. | 1.00 | 8.00 |
| 125 | aurea, | 3 to 4 ft. | 1.25 | 10.00 |
| 725 | | 2 to 3 ft. | 1.00 | 8.00 |
| 10 | Populus balsamifera, | 12 to 15 ft. | 5.00 | |
| 100 | | 6 to 8 ft. | 1.25 | 10.00 |
| 500 | | 4 to 5 ft. | .80 | 6.00 |
| 25 | monilifera, Carolina, | 12 to 15 ft. | 5.00 | |
| 90 | | 8 to 10 ft. | 2.50 | 20.00 |
| 50 | | 6 to 8 ft. | 1.25 | 10.00 |
| 1000 | | 4 to 5 ft. | .80 | 6.00 |
| 300 | nigra, var. Italica (Lombardy) | 8 to 10 ft. | 2.50 | 20.00 |

| | | | Per 10 | Per 100 |
|------|---|------------|--------|---------|
| 250 | Populus Nigra, var. Italica (Lombardy), | 5 to 7 ft. | 1.50 | 12.00 |
| 1000 | | 4 to 5 ft. | 1.00 | 8.00 |
| 50 | Prunus Americana, | 5 to 7 ft. | 2.50 | 20.00 |
| 50 | avium, double white, | 8 to 9 ft. | 5.00 | 40.00 |
| 100 | | 4 to 5 ft. | 3.00 | 20.00 |
| 75 | maritima, | 2 to 3 ft. | 1.50 | 12.00 |
| 25 | Padus, | 6 to 8 ft. | 1.25 | |
| 40 | | 5 to 6 ft. | 1.00 | 8.00 |
| 100 | Pissardi, | 4 to 5 ft. | 2.50 | 20.00 |
| 20 | pseudo-cerasus, | 4 to 5 ft. | 5.00 | |
| 50 | Sinensis fl. rosea pendula, | 4 to 6 ft. | 10.00 | |
| 10 | subhirtilla, | 3 to 4 ft. | 10.00 | |
| 100 | triloba, | 2 to 3 ft. | 2.50 | 20.00 |
| 150 | Pyrus Aucuparia, European Mt. Ash, | 6 to 7 ft. | 1.25 | 10.00 |
| 100 | arbutifolia, | 24 in. | 1.25 | 10.00 |

**The following Flowering Apples are very handsome in the
Shrubbery.**

| | | | |
|-----|-------------------------------|---------------------|----------|
| 20 | Pyrus Arnoldiana, | 3 ft. | 3.00 |
| 25 | coronaria, | 4 to 5 ft. | 5.00 |
| 75 | | 2 to 3 ft. | 3.50 |
| 15 | Dawson, | 2 to 3 ft. | 3.00 |
| 10 | floribunda, | 4 to 5 ft. | 5.00 |
| 125 | | 3 to 4 ft. | 3.00 |
| 40 | atrosanguinea, | 4 to 5 ft. | 5.00 |
| 75 | | 3 to 4 ft. | 3.00 |
| 10 | Kaido, | 3 to 4 ft. | 5.00 |
| 45 | Ioensis, Betchel's crab, | 3 to 4 ft. | 4.00 |
| 25 | Niedwitskiana, | 4 to 5 ft. | 5.00 |
| 100 | | 3 to 4 ft. | 3.00 |
| 65 | Parkmanii, | 4 to 5 ft. | 5.00 |
| 20 | Sargentii, | 2 to 3 ft. | 5.00 |
| 34 | Scheideckeri, | 5 to 6 ft. | 6.00 |
| 100 | | 3 to 4 ft. | 3.00 |
| 90 | spectabilis, fl. pl. rosea, | 5 to 6 ft. | 5.00 |
| 15 | Toringo, | 2 to 3 ft. | 3.00 |
| 250 | Pyrus Japonica, mixed colors, | Japan Pear, 2 ft. | .80 6.00 |
| 20 | Japonica, alba, | 12 to 18 in. | 1.00 |
| 40 | Japonica, cardinalis, | 12 to 18 in. | 1.00 |
| 20 | Japonica, pigmæa, | 12 to 18 in. | 3.00 |
| 20 | Quercus palustris, | 1 to 1½ in. caliper | 10.00 |
| 30 | | 6 to 8 ft. | 4.00 |
| 20 | prinos, | 8 to 10 ft. | 5.00 |

| | | Per 10 | Per 100 |
|-------------------------|---|--------------------------|--------------|
| 45 | Quercus rubra, | 8 to 10 ft. | 6.50 |
| 40 | | 6 to 8 ft. | 4.50 40.00 |
| 200 | Rhamnus catharticus, | 3 to 4 ft. | 1.00 8.00 |
| 700 | | 2 to 3 ft. | .75 6.00 |
| 150 | frangula, | 2 to 3 ft. | 1.00 8.00 |
| 200 | Rhododendrons, English Hybrids in var., | 18 to 30 in. | 15.00 150.00 |
| Alba Elegans, white | | Charles Dickens, scarlet | |
| Alba grandiflora, white | | Delicatissima, blush | |
| Atrosanguinea, red | | Everestianum, lilac | |
| Caractacus, crimson | | Kettledrum, crimson | |
| | Lady Armstrong, rose, spotted | | |
| 100 | Rhododendrons, seedlings, | 2 ft. | 10.00 100.00 |
| | The above Anthony Waterer Rhododendrons are best plants obtainable for New England. Seedlings best, but colors are not known. | | |
| | Rhododendron Maximum in car load lots. Prices will be quoted on application. | | |
| 300 | Rhodotypos kerrioides, | 3 to 4 ft. | 1.25 10.00 |
| 300 | | 2 to 3 ft. | 1.00 8.00 |
| 800 | | 18 to 24 in. | .75 6.00 |
| 100 | Rhus aromatica, | 2 to 3 ft. | 2.50 20.00 |
| 100 | | 18 to 24 in. | 1.75 15.00 |
| 500 | seedlings, | 10 to 12 in. | 1.25 10.00 |
| | copallina, collected, | 1 to 2 ft. | 4.00 |
| 30 | Cotinus (Smoke tree), | 3 to 4 ft. | 1.50 |
| 10 | typhina, | 6 to 8 ft. | 4.00 |
| 35 | | 2 to 3 ft. | 1.25 |
| 25 | | 18 to 24 in. | 1.00 |
| | collected, | 2 to 3 ft. | 1.00 8.00 |
| 50 | glabra, | 24 to 30 in. | 1.00 8.00 |
| 16 | Osbeckii, | 6 to 8 ft. | 5.00 |
| 125 | Ribes aureum, | 3 to 4 ft. | 1.25 10.00 |
| 30 | Robinia hispida, | 2 to 3 ft. | 1.25 |

WILD ROSES.

| | | | |
|-----|-----------------------|-------------------|------------|
| 100 | Rosa Carolina, | 3 to 4 ft. | 1.25 12.00 |
| 800 | | 2 to 3 ft. | 1.00 8.00 |
| 125 | lucida, | 2 to 3 ft. | 1.25 8.00 |
| 500 | | 18 to 24 in. | 1.00 6.00 |
| 500 | | 12 to 18 in. | 5.00 |
| 400 | lucida alba, | 15 to 18 in. | 2.50 20.00 |
| 250 | | 12 to 15 in. | 2.00 15.00 |
| 300 | multiflora, Japonica, | 2 to 3 ft. | 1.00 8.00 |
| 200 | | 1 yr., 2 to 3 ft. | .75 6.00 |

| | | | Per 10 | Per 100 |
|-----|---------------|--------------|--------|---------|
| 60 | Rosa nitida, | 2 to 3 ft. | 1.25 | |
| 50 | | 12 to 18 in. | 1.00 | |
| 100 | rubiginosa, | 18 to 24 in. | .75 | 6.00 |
| 50 | rubrifolia, | 2 to 3 ft. | 1.50 | |
| 75 | rugosa, | 2 to 3 ft. | 2.00 | |
| 800 | | 18 to 24 in. | 1.20 | 8.00 |
| 925 | rugosa, alba, | 2 to 3 ft. | 2.50 | 18.00 |
| 350 | | 18 to 24 in. | 1.50 | 10.00 |
| 200 | setigera, | 3 to 4 ft. | 1.25 | 10.00 |
| 200 | | 2 to 3 ft. | 1.00 | 8.00 |
| 150 | | 1 yr. | .80 | 6.00 |
| 60 | spinosissima, | 24 in. up | 3.50 | 30.00 |
| 275 | | 18 to 24 in. | 3.00 | 25.00 |
| 500 | Wichuriana, | No. 1 | 1.25 | 10.00 |

HYBRID PERPETUAL ROSES.

No. 1, 2-year, in the following varieties:

| | | | | |
|-----------------------------------|--|--------------|------|-------|
| Abel Carriere, velvety crimson | Magna Charta, pink. | | | |
| Alfred Colomb, carmine. | Marshall P. Wilder, carmine red. | | | |
| Anna de Diesbach, pink. | Monsieur Boncenne, dark red. | | | |
| Baron de Bonstetten, rich maroon | Mrs. Charles Wood, crimson. | | | |
| Cap't Christy, delicate rose. | Mrs. John Laing, pink. | | | |
| Fisher Holmes, dark red. | Mrs. R. G. S. Crawford, pink. | | | |
| Frau Karl Druschki, white. | Paul Neyron, cherry. | | | |
| Gen. Jacqueminot, red. | Prince Camille de Rohan, deep crimson. | | | |
| Gen. Washington, red. | Ulrich Brunner, cherry red. | | | |
| John Hopper, bright rose. | | | | |
| Mad. Gabriel Luizet, soft rose. | 1.75 15.00 | | | |
| Celine Forestier, light yellow. | Mad. Caroline Testout, satiny pink | | | |
| Gloire Lyonnaise, light yellow. | Margaret Dickson, white. | | | |
| Gruss aus Teplitz, deep red. | Soleil d'Or, yellow. | | | |
| | 2.50 20.00 | | | |
| American Beauty, red. | Marchioness of Londonderry, | | | |
| Killarney, soft rose. | white, | | | |
| La France, pink. | Richmond, crimson. | | | |
| La France, white. | | | | |
| | 3.00 25.00 | | | |
| Kaiserin Augusta Victoria, white. | Viscountess Folkestone, flesh | | | |
| tinted. | 3.50 | | | |
| 200 | Mme. Plantier, dble. white, | 2 to 3 ft. | 1.25 | 10.00 |
| 300 | Mme. Geo. Bruant, | 18 to 24 in. | 2.50 | 20.00 |

CLIMBING ROSES.

| | | | Per 10 | Per 100 |
|-----|--------------------------------------|-------------------|--------|---------|
| 50 | Rosa Baltimore Belle, | | 1.25 | 10.00 |
| 50 | Rosa Crimson Rambler, extra, | 3 to 4 ft. | 1.50 | 12.00 |
| 600 | | 2 to 3 ft. | 1.20 | 10.00 |
| 175 | Dawson, single pink, | 1 yr., 2 to 3 ft. | 1.25 | 10.00 |
| 575 | Dorothy Perkins, pink, double, | 2 yrs. | 1.25 | 10.00 |
| 150 | | 1 yr. | 1.00 | 8.00 |
| 125 | Farquhar, pink, | 1 yr., 2 to 3 ft. | 1.50 | 12.00 |
| 200 | Lady Gay, cherry pink, | 2 yrs. | 1.25 | 10.00 |
| 275 | | 1 yr. | 1.00 | 8.00 |
| 50 | Prairie Queen, pink, | 2 to 3 ft. | 1.25 | 10.00 |
| 325 | W. C. Egan, white, | 2 yrs. | 1.25 | 10.00 |
| 50 | Seven Sisters, | 2 to 3 ft. | 1.20 | 10.00 |
| 875 | Setigera and Wichuriana, shell pink, | | | |
| | | 3 yrs. | 1.25 | 10.00 |
| 150 | | 1 yr. | 1.00 | 8.00 |

The Setigera and Wichuriana is a hybrid of these two well known roses. It retains the good foliage and trailing habit of Wichuriana. The flower large, single, beautiful shell pink. This is one of the best new roses in this line.

Wichuriana; see Wild Roses.

| | | | | |
|------|--------------------------------|-------------------|------|-------|
| 30 | Rubus oderatus, | 2 to 3 ft. | 1.25 | 10.00 |
| 1500 | Salix alba, | 3 to 4 ft. | 1.00 | 8.00 |
| 1100 | | 1 yr., 1 to 3 ft. | | 1.00 |
| 300 | Babylonica (Wisconsin Weeping) | 5 to 7 ft. | 1.50 | 12.00 |
| 1400 | | 1 yr., 1 to 3 ft. | | 1.00 |
| 25 | Caprea (Solomon's Palm) | 6 to 8 ft. | 1.50 | |
| 400 | | 3 to 4 ft. | 1.00 | 8.00 |
| 50 | Britzensis, | 6 to 8 ft. | 2.00 | 15.00 |
| 1200 | | 3 to 4 ft. | 1.00 | 8.00 |
| 1300 | | 1 yr., 1 to 3 ft. | | 1.00 |
| 100 | pentandra, | 5 to 6 ft. | 1.50 | 12.00 |
| 200 | pentandra (laurifolia) | 4 to 5 ft. | 1.00 | 8.00 |
| 800 | | 1 yr., 1 to 3 ft. | | 1.00 |
| 500 | Sambucus Canadensis, | 2 to 3 ft. | 1.00 | 8.00 |
| 300 | | 18 to 24 in. | .75 | 6.00 |
| 50 | Canadensis, aurea, | 3 to 4 ft. | 1.50 | 12.00 |
| 125 | | 2 to 3 ft. | 1.25 | 10.00 |
| 200 | racemosa, | 3 to 5 ft. | 1.50 | 12.00 |
| 100 | Spiraea Anthony Waterer, | 24 in. | 1.25 | 10.00 |
| 250 | | 12 to 18 in. | .80 | 6.00 |

| | | | Per 10 | Per 100 |
|------|--|---------------------|--------|------------|
| 100 | Spiraea Anthony Waterer, | 8 to 12 in. | .50 | 4.00 |
| 50 | arguta multiflora, | 3 ft. | 1.25 | 10.00 |
| 50 | Billardii, | 4 ft. | 1.00 | 8.00 |
| 50 | Bumalda, | 2 to 3 ft. | 1.25 | 12.00 |
| 100 | Japonica (callosa) red, | 3 to 4 ft. | 1.25 | 10.00 |
| 175 | Japonica (callosa) white, | 12 to 18 in. | 1.00 | 8.00 |
| 100 | Thunbergii, | 2 to 3 ft. | 1.25 | 10.00 |
| 400 | | 24 in. | 1.00 | 8.00 |
| 100 | | 18 to 24 in. | .75 | 6.00 |
| 400 | Van Houttei, | 3 to 4 ft. | 1.25 | 12.00 |
| 450 | | 2 to 3 ft. | 1.00 | 8.00 |
| 1000 | light, | 18 to 24 in. | | 6.00 |
| 1000 | Stephanandra flexuosa, | 2 to 3 ft. | 1.25 | 10.00 |
| 100 | Styrax Japonica, | 3 ft. | 3.50 | 30.00 |
| 800 | Symporicarpus racemosa, | 2 to 3 ft. | 1.00 | 8.00 |
| 300 | vulgaris, | 2 to 3 ft. | 1.00 | 5.00 |
| 300 | | 18 to 24 in. | | 4.00 |
| 900 | | 1 yr., 18 to 24 in. | | 3.00 |
| 40 | Syringa Japonica, Tree Lilac, | 3 to 5 ft. | 3.00 | |
| 50 | | 2 to 3 ft. | 2.50 | |
| 50 | Josikaea, | 2 to 3 ft. | 2.50 | |
| 60 | Persica Saugeana, | 2 to 3 ft. | 1.50 | 12.00 |
| 25 | Persica Saugeana, alba, | 4 to 5 ft. | 2.00 | |
| 125 | | 2 to 3 ft. | 1.50 | 12.00 |
| 50 | Persica Rothamagensis, | 2 to 3 ft. | 1.50 | 12.00 |
| 200 | Syringa vulgaris, | 2 ft. up. | 1.00 | 8.00 |
| 400 | | 18 to 24 in. | .80 | 7.00 |
| 100 | vulgaris, alba, | 2 to 3 ft. | 1.25 | 10.00 |
| 500 | | 18 to 24 in. | 1.00 | 8.00 |
| 100 | villosa, | 2 to 3 ft. | 2.00 | 18.00 |
| | Syringa vulgaris in following named var., grafted on Syringa, stocky plants from 2 to 3 ft., according to variety, | | | 3.00 25.00 |
| 125 | Alba grandiflora, wt. single | | | |
| 25 | Aline Moequery, dark red, single | | | |
| 50 | Bertha Dammann, wt. single | | | |
| 12 | Dr. Troyanowsky, dble. mauve | | | |
| 25 | Charles X., single lilac | | | |
| 50 | Congo, red, dble. | | | |
| 50 | Marie Legraye, large wt. single | | | |
| 50 | Mme. Lemoine, dble. wt. | | | |
| 25 | Michael Buckner, dble. pale lilac | | | |
| 50 | Souvenir de L. Spathe, purple, single | | | |
| 9 | Pres. Loubet, dble. purplish, red | | | |
| 12 | Pres. Viger, dble., bluish lilac | | | |

Per 10 Per 100

| | | | | | |
|--------------------------|----------------------------------|--------------------------------|------|-------|--|
| Syringa vulgaris, named: | | | | | |
| 25 | Princess Alexandra, single white | | | | |
| 9 | Wm. Robinson, single, mauve | | | | |
| 25 | Vulcan, ruby red | | | | |
| 50 | Tamarix Gallica, | 3 to 4 ft. | 1.00 | 8.00 | |
| 70 | Taxodium distichium, | 2 to 3 ft. | 1.75 | 15.00 | |
| 50 | Tilia Americana, | 8 to 10 ft. | 4.50 | 40.00 | |
| 50 | | 6 to 8 ft. | 3.50 | 30.00 | |
| 40 | | 5 to 6 ft. | 3.00 | 25.00 | |
| 40 | Europaea, | 1½ to 2 in. caliper | 6.00 | 50.00 | |
| 50 | | 5 to 7 ft. | 3.00 | 25.00 | |
| 100 | Ulmus Americana, | 1½ to 2 in. cal., 10 to 12 ft. | 5.00 | 40.00 | |
| 150 | | 8 to 10 ft. | 4.00 | 35.00 | |
| 20 | Vaccinium corymbosum, | 12 to 18 in. | 5.00 | | |
| 350 | Viburnum cassinooides, | 2 to 3 ft. | 2.50 | 20.00 | |
| 575 | | 18 to 24 in. | 2.00 | 15.00 | |
| 675 | dentatum, | 3 to 4 ft. | 1.20 | 10.00 | |
| 200 | | 2 to 3 ft. | 1.00 | 8.00 | |
| 30 | dilatatum, | 3 to 4 ft. | 5.00 | | |
| 30 | | 2 to 3 ft. | 3.00 | | |
| 200 | Lantana, | 3 to 4 ft. | 1.25 | 10.00 | |
| 250 | | 2 to 3 ft. | .75 | 6.00 | |
| 250 | molle, | 5 to 6 ft. | 1.50 | 12.00 | |
| 300 | | 4 to 5 ft. | 1.25 | 10.00 | |
| 10 | opus, | 4 to 5 ft. | 2.00 | | |
| 400 | | 3 to 4 ft. | 1.25 | 10.00 | |
| 500 | | 2 to 3 ft. | 1.00 | 8.00 | |
| 100 | plicatum, | 2 to 3 ft. | 3.00 | 25.00 | |
| 45 | pubescens, | 18 to 24 in. | 2.00 | | |
| 150 | tomentosum, | 3 to 4 ft. | 2.50 | 20.00 | |
| 150 | Yucca filamentosa, | strong, | 1.00 | 8.00 | |
| 500 | | 1 yr., | | 2.50 | |

VINES AND CLIMBERS.

| | | | | |
|------|--------------------------|-----------------------------|------|-------|
| 300 | Actinida arguta, | 4 yrs., strong, trans. '09, | 3.00 | 25.00 |
| 100 | Akebia quinata, | 3 yrs. | 1.25 | 10.00 |
| 600 | Ampelopsis quinquefolia, | strong, 3 yrs. | 1.00 | 8.00 |
| 900 | | strong, 2 yrs. | .75 | 6.00 |
| 500 | Veitchii, | 3 yrs., trans. twice, | 1.50 | 12.00 |
| 250 | | 2 yr. | 1.25 | 10.00 |
| 100 | Arctostaphylos Uva—Ursi, | | 2.00 | |
| 500 | | 2½ in. pots | 1.25 | 10.00 |
| 25 | Aristolochia siphon, | 3 to 4 ft. | 3.00 | |
| 50 | | 3 yrs. | 2.50 | 20.00 |
| 1000 | | trans., 2 yrs. | 2.00 | 15.00 |

| | | | Per 10 | Per 100 |
|------|--|-----------------------|--------|---------|
| 500 | <i>Bignonia radicans</i> , | strong, 3 yrs. | 1.00 | 8.00 |
| 300 | <i>Celastrus paniculata</i> , | strong, 3 to 4 ft. | 1.00 | 8.00 |
| 350 | | 2 yr. | .75 | 6.00 |
| 150 | <i>scandens</i> , | strong, 2 to 3 ft. | 1.00 | 8.00 |
| 50 | <i>Clematis angustifolia</i> , | 3 yrs., 2 to 3 ft. | 1.25 | 10.00 |
| 50 | <i>apiifolia</i> , | strong, | 1.25 | 10.00 |
| 50 | <i>Henryi</i> , | | 3.00 | |
| 50 | <i>Jackmanii</i> , | | 3.00 | |
| 200 | <i>paniculata</i> , | 3 yrs. | 1.50 | 12.00 |
| 500 | | 1 yr. | 1.00 | 8.00 |
| 75 | <i>Virginiana</i> , | 2 yrs. | 1.30 | 12.00 |
| 300 | <i>Euonymous Jap. viridis</i> , <i>radicans</i> , | 8 to 10 in. | 1.75 | 15.00 |
| 100 | <i>Ipomæa pandurata</i> , <i>Man of the Earth</i> , (pieces) | | 1.25 | 12.00 |
| | roots, 2 to 3 ft., | \$1.50 to \$2.00 each | | |
| 500 | <i>Lonicera Japonica</i> , <i>Halleana</i> , | No. 1, | 1.50 | 12.00 |
| 500 | | No. 2, | 1.00 | 8.00 |
| 20 | <i>semperflorens</i> (<i>Scarlet Trumpet</i>), | | 1.50 | |
| 25 | <i>Sullivantii</i> (<i>Yellow Trumpet</i>), | | 1.50 | |
| 250 | <i>Lycium vulgare</i> , | 2 to 3 ft. | 1.00 | 8.00 |
| 50 | <i>Menispermum</i> , <i>Moon Seed</i> , | | 1.00 | 8.00 |
| 200 | <i>Periploca Græca</i> , | strong, | 1.00 | 8.00 |
| 150 | <i>Vinca minor</i> , single blue, | | .75 | 5.00 |
| 100 | single purple, | | 1.00 | 8.00 |
| 1100 | double blue, | | .50 | 4.00 |
| | All clumps trans. '09. | | | |
| 35 | <i>Vitis Heterophylla</i> , | | 2.00 | |
| 75 | <i>Wistaria multijuga</i> , | | 3.00 | |
| 6 | <i>multijuga</i> , <i>alba</i> , | strong, 5 to 6 ft. | 10.00 | |
| 50 | | strong, | 5.00 | 40.00 |
| 50 | <i>Sinensis</i> , | | 2.50 | 20.00 |
| 20 | | strong, | 3.00 | |
| 50 | <i>Sinensis</i> , <i>alba</i> , | | 3.00 | |
| 25 | | strong, | 3.50 | |

EVERGREENS.

All transplanted twice, many three times or more.

Larger sizes come with ball and will be burlapped.

| | | Each | Per 10 | Per 100 |
|-----|-------------------------|--------------|--------|---------|
| 50 | <i>Abies balsamea</i> , | 12 to 18 in. | .25 | 2.00 |
| 200 | | 6 to 10 in. | 1.25 | 10.00 |
| 6 | <i>concolor</i> , | 3 to 4 ft. | 3.00 | |
| 4 | | 2 to 3 ft. | 2.00 | |
| 25 | | 18 in. | 1.00 | |

| | | | Each | Per 10 | Per 100 |
|-----|------------------------------------|--------------------------|------|--------|---------|
| 25 | Buxus sempervirens, pyramids, | 3 ft. | 1.50 | | |
| 25 | | 2 ft. | 1.25 | | |
| 10 | | 2 ft. stem; 1 ft. crown, | 1.25 | | |
| 200 | | 1 ft. | .30 | 2.50 | 20.00 |
| 200 | | 4 to 5 in. | .15 | 1.25 | 10.00 |
| | Chamæcypris. See Retinospora. | | | | |
| 50 | Juniperus communis, | 18 to 24 in. dia. | .30 | 2.50 | |
| 30 | | 10 to 12 in. dia. | .25 | 2.00 | |
| 50 | communis aurea, | 18 to 24 in. dia. | .50 | 4.00 | |
| 6 | Dahurica, | 5 to 6 ft. | 1.50 | | |
| 50 | | 3 to 4 ft. | 1.00 | | |
| 75 | | 20 to 30 in. | .75 | 5.00 | |
| 30 | communis Hibernica, | 3 to 4 ft. | .50 | 4.00 | |
| 40 | | 2 to 3 ft. | .35 | 3.00 | |
| 100 | | 2 ft. | .25 | 2.00 | |
| 12 | prostrata, large | | .50 | | |
| 25 | | 12 to 18 in. | .35 | 3.00 | |
| 75 | Sabina, | 18 to 24 in. | .25 | 2.00 | |
| 15 | Sinensis, a prostrate Juniper, | | .50 | | |
| 20 | Virginiana, Red Cedar, 6 ft. and | | | | |
| | up, | | 1.50 | | |
| 40 | | 4 to 5 ft. | 1.00 | | |
| 100 | | 3 to 4 ft. | .50 | 4.50 | |
| 225 | | 2 to 3 ft. | .25 | 2.00 | 20.00 |
| 600 | Picea alba, | 12 to 18 in. | .20 | 1.50 | 10.00 |
| 15 | excelsa, Norway Spruce, 3 to 4 ft. | | .50 | | |
| 500 | | 20 to 30 in. | .30 | 2.50 | 20.00 |
| 800 | | 18 to 24 in. | .25 | 2.00 | 12.00 |
| 250 | | 12 to 18 in. | 1.50 | 8.00 | |
| 12 | nigra, | 4 to 6 ft. | 2.00 | | |
| 50 | | 18 to 24 in. | .25 | 2.00 | |
| 30 | pungens, blue form, | 4 to 5 ft. | 3.00 | | |
| 14 | | 3 to 4 ft. | 2.00 | | |
| 10 | pungens, Koster blue, | 3 to 4 ft. | 3.00 | | |
| 40 | | 2 to 3 ft. | 2.00 | | |
| 50 | | 18 to 24 in. | 1.50 | | |
| 50 | pungens, green form, | 3 to 5 ft. | 1.00 | 8.00 | |
| 40 | | 2 to 3 ft. | .75 | 7.00 | |
| 50 | Pinus Austriaca, | 18 to 24 in. | .25 | 2.00 | |
| 250 | | 12 to 18 in. | | 1.25 | 10.00 |
| 200 | Banksiana, | 24 to 30 in. | .25 | 2.00 | 15.00 |
| 175 | mugho, | 10 to 12 in. dia., | .30 | 2.50 | |
| 500 | | 8 to 12 in. | .25 | 2.00 | 15.00 |
| 250 | | 6 to 8 in. | 1.25 | 10.00 | |
| 50 | rigida, | 2 to 3 ft. | .30 | 2.50 | |

| | | | Each | Per 10 | Per 100 |
|------|--|-------------------|------|--------|---------|
| 12 | Pinus strobus, White Pine, | 5 to 6 ft. | 1.00 | | |
| 40 | | 3 to 4 ft. | .75 | 5.00 | |
| 600 | | 30 to 36 in. | .25 | 2.00 | 15.00 |
| 1200 | | 24 to 30 in. | | 1.50 | 12.00 |
| 1200 | | 18 to 24 in. | | 1.25 | 10.00 |
| 500 | | 12 to 18 in. | | 1.00 | 8.00 |
| 12 | strobos nana, | 15 to 18 in. dia. | 2.00 | | |
| 500 | sylvestris, Scotch Pine, | 2 to 3 ft. | .25 | 2.00 | 15.00 |
| 500 | | 18 to 24 in. | | 1.25 | 10.00 |
| 35 | Pseudotsuga Douglasii, Douglass Fir | 5 to 6 ft. | 1.50 | 12.00 | |
| 35 | | 4 to 5 ft. | 1.25 | 10.00 | |
| 50 | | 3 to 4 ft. | 1.00 | 8.00 | |
| 30 | | 2 to 3 ft. | .75 | 6.00 | |
| 200 | | 12 to 18 in. | | 1.25 | 8.00 |
| 50 | Retinospora pisifera, | 18 to 24 in. | .30 | 2.50 | |
| 20 | pisifera, aurea, | 20 to 30 in. | .50 | 4.50 | |
| 18 | | 18 to 24 in. | .30 | 2.50 | |
| 100 | plumosa, | 4 to 5 ft. | 1.00 | 8.00 | |
| 50 | | 2 ft. | .50 | 4.50 | |
| 7 | plumosa aurea, | 5 to 6 ft. | 2.00 | | |
| 90 | | 3 ft. | 1.00 | 8.00 | |
| 40 | | 2 ft. | .50 | 4.50 | |
| 100 | | 12 to 18 in. | .25 | 2.00 | |
| 10 | squarrosa, | 4 to 6 ft. | 2.00 | | |
| 64 | | 18 to 24 in. | .50 | | |
| 6 | Taxus cuspidata, | 18 to 24 in. | 1.50 | | |
| 40 | | 12 to 18 in. | 1.00 | 8.00 | |
| 800 | Thuya occidentalis, Am. Arborvitæ, | 2 to 3 ft. | .30 | 2.50 | 20.00 |
| 1000 | | 18 to 24 in. | | 1.25 | 10.00 |
| 300 | | 12 to 18 in. | | 1.00 | 8.00 |
| 40 | Siberica, | 24 to 30 in. | .50 | 4.50 | |
| 200 | | 12 to 15 in. | | 1.25 | 10.00 |
| 4 | Tsuga Canadensis, Hemlock, | 4 to 5 ft. | 2.00 | | |
| 100 | | 3 ft. | .75 | 6.00 | |
| 280 | | 2 to 3 ft. | .50 | 4.50 | 35.00 |
| | Canadensis, collected, | 1 to 3 ft. | | | |
| | prices on application. | | | | |
| 10 | Caroliniana, | 2 to 3 ft. | 1.00 | | |
| | Rhododendrons and Kalmias; see Deciduous Trees and Shrubs. | | | | |

HERBACEOUS PERENNIALS.

| | Per 10 | Per 100 |
|--|--------|---------|
| 100 Achillea serrata, The Pearl, | .75 | 6.00 |
| 200 Agrostemma coronaria, | .60 | 5.00 |
| 500 Alyssum saxatile, Gold Dust, | .75 | 6.00 |
| 500 Althea rosea, Hollyhocks, | 1.00 | 8.00 |
| 500 Anthemis tinctoria, | .50 | 4.00 |
| 300 Anthericum liliastrum, | 1.00 | 8.00 |
| 200 Aquilegia, Columbines in variety, | 1.00 | 8.00 |
| 50 Arabis alpina, | 1.00 | 8.00 |
| 200 Armeria, Thrift, | 1.00 | 8.00 |
| 200 Asclepias tuberosa, | .60 | 5.00 |
| 500 Aster Novæ-Angliæ purpurea, | .60 | 5.00 |
| 500 Aster Novæ-Angliæ var. rosea, | .60 | 5.00 |
| 500 Astilbe Japonica, clumps, | .50 | 4.00 |
| 200 Boltonia asteroides, | 1.00 | 8.00 |
| 100 Boltonia latisquama, | 1.00 | 8.00 |
| 5000 Campanula medium, Canterbury Bells, | 1.00 | 8.00 |
| 100 Campanula persicifolia, blue, | 1.00 | 8.00 |
| 100 Cerastium tomentosum, | 1.00 | 8.00 |
| 500 Convallaria majalis, | .50 | 4.00 |
| 500 Coreopsis grandiflora, | .60 | 5.00 |
| 200 Delphinium elatum, Hybrid Larkspur, | 1.00 | 8.00 |
| 200 Delphinium grandiflorum, Chinese Larkspur, | 1.00 | 8.00 |
| 500 Dianthus barbatus, Sweet Williams, | 1.00 | 8.00 |
| 50 Dicentra spectabilis, Bleeding Heart, | 1.00 | |
| 25 Dictamnus Fraxinella, red and white, | 1.50 | |
| 500 Digitalis purpurea, Foxglove in variety, | 1.00 | 8.00 |
| 100 Epimedium, red and yellow, | 1.00 | 8.00 |
| 200 Erigeron, | 1.00 | 8.00 |
| 100 Funkia lancifolia, | 1.00 | 8.00 |
| 100 Funkia ovata, | 1.00 | 8.00 |
| 100 Funkia ovata marginata, | 1.00 | 8.00 |
| 50 Funkia Sieboldiana, | 1.25 | 10.00 |
| 500 Gaillardia grandiflora, | .60 | 5.00 |
| 100 Geranium sanguineum, | 1.00 | 8.00 |
| 500 Gypsophila paniculata, | .75 | 6.00 |
| 200 Helenium autumnale, | .60 | 5.00 |
| 200 Helianthus Maximilianus, | .60 | 5.00 |
| 200 Helianthus mollis, | .60 | 5.00 |
| 200 Helianthus, Miss Mellish, | 1.00 | 8.00 |
| 200 Helianthus orgialis, | 1.00 | 8.00 |
| 200 Hemerocallis Dumortieri, | .60 | 5.00 |
| 100 Hemerocallis flava, | .60 | 5.00 |

| | | Per 10 | Per 100 |
|------|--|--------|---------|
| 5000 | Hemerocallis fulva, Hemerocallis fulva, \$20.00 per 1000, | .60 | 5.00 |
| 200 | Hibiscus Moscheutos, 2 yrs., | .60 | 5.00 |
| 50 | Iberis Gibraltica, Hardy Candytuft, | 1.00 | 8.00 |
| 300 | Iris Germanica, colors separate, | .75 | 6.00 |
| 300 | Iris Japan or Kæmphers, colors separate, | .75 | 6.00 |
| 300 | Lathyrus latifolius, rose, heavy, | .75 | 6.00 |
| 100 | Lathyrus latifolius, white, | 1.00 | 8.00 |
| 100 | Liatris pycnostachya (Kansas Gay Feather), | .75 | 5.00 |
| 500 | Liatris scariosa, | .75 | 5.00 |
| 200 | Lupinus polyphyllus, | .75 | 6.00 |
| 200 | Lysimachia clethroides, | .60 | 5.00 |
| 100 | Lysimachia nummularia, | .50 | 4.00 |
| 100 | Mertensia Virginiana, Lung-wort, | 1.00 | 8.00 |
| 100 | Mitchella repens, Partridge Berry, sod, | .60 | 5.00 |
| 500 | Monarda didyma, | 1.00 | 8.00 |
| 100 | Orobus vernus, | 1.00 | 8.00 |
| 2000 | Phlox paniculata in following var. (decussata,) | 1.25 | 10.00 |
| | Aurora borealis, light crimson. | | |
| | Beranger, salmon, shading to white. | | |
| | Coquelicot, bright red. | | |
| | Eclaireaux, purplish crimson. | | |
| | Esperance, lilac. | | |
| | Fedora, large light pink. | | |
| | Ferdinand Cortez, bright crimson. | | |
| | Gen. Chanzy, scarlet pink. | | |
| | Independence, pure white, large. | | |
| | Iris, purplish blue. | | |
| | Lumineux, large pink, center light. | | |
| | LeFeu de Monde, salmon red. | | |
| | Michael Buckner, light pink, dark center. | | |
| | Mme. Meuret, bright red. | | |
| | Mme. P. Langier, bright red. | | |
| | Ornament, large red. | | |
| | Pink Beauty. | | |
| | R. P. Struther, salmon, crimson center. | | |
| | Wm. Muhle, large, salmon pink. | | |
| | Saisons Liervol, white, pink eye. | | |
| | Thehaide, salmon red. | | |
| | Phlox subulata, atropurpurea, | 1.00 | 8.00 |
| | Phlox subulata, lilac, | 1.00 | 8.00 |
| | Phlox subulata, white, | 1.00 | 8.00 |
| 500 | Platycodon grandiflora, blue, | 1.00 | 8.00 |
| 500 | Platycodon grandiflora, white, | 1.00 | 8.00 |

| | Per 10 | Per 100 |
|--|--------|---------|
| 500 <i>Polygonum cuspidatum</i> , | .75 | 6.00 |
| 1000 Peonies, named var., | 2.00 | 15.00 |
| 200 <i>Primula officinalis</i> , | 1.00 | 8.00 |
| 500 <i>Pyrethrum uliginosum</i> , | 1.00 | 8.00 |
| 200 <i>Pyrethrum hybrids</i> , | 1.00 | 8.00 |
| 500 Primrose, yellow, | 1.00 | 8.00 |
| 500 <i>Rudbeckia Golden Glow</i> , | .60 | 5.00 |
| 200 <i>Rudbeckia subtomentosa</i> , | 1.00 | 8.00 |
| 500 <i>Rudbeckia speciosa</i> , | .60 | 5.00 |
| 500 <i>Sabbatia chloroides</i> , | .50 | 5.00 |
| 1000 <i>Solidago</i> , Goden Rod, names not known, | .50 | 4.00 |
| 500 <i>Spiraea Filipendula</i> , | .50 | 4.00 |
| 100 <i>Spiraea palmata rosea</i> , | 1.00 | 8.00 |
| 200 <i>Spiraea palmata</i> var., <i>elgans white</i> , | 1.00 | 8.00 |
| 200 <i>Spiraea Ulmaria</i> , dble. white, | 1.00 | 7.00 |
| 100 <i>Vernonia Novaboracensis</i> , | 1.00 | 8.00 |
| 500 <i>Viola Schonbrunn</i> , small plants, single, hardy, | .75 | 6.00 |

FRUIT TREES, GRAPES, SMALL FRUITS, ASPARAGUS AND RHUBARB.

| | Each | Per 10 |
|------------------------------------|------------|----------|
| APPLES, $\frac{3}{4}$ in. caliper, | 5 to 7 ft. | .45 3.50 |

Summer.

| | |
|----------------|---------------------|
| Early Harvest. | Tetofsy. |
| Red Astrachan. | Yellow Transparent. |
| Sweet Bough. | |

Fall.

| | |
|----------------|--------------|
| Gravenstein. | Red Crab. |
| Maiden's Blush | Yellow Crab. |
| McIntosh Red. | |

Winter.

| | |
|------------------------|---------------|
| Rhode Island Greening. | Baldwin. |
| Russet Golden. | Wealthy. |
| Russet Roxbury. | Fameuse. |
| Talman Sweet. | Hubbardston. |
| Yellow Bellefleur. | King. |
| York Imperial. | Northern Spy. |

| | |
|---------------------------|-----------|
| Alternate Baldwin, light, | 3 ft. .50 |
|---------------------------|-----------|

This is a valuable apple as it bears on the off year. Stock limited. A tree on these grounds has furnished more good fruit for the last 30 years, than any other variety, and it has furnished it invariably on the off year.

| | |
|-----------|----------------|
| CHERRIES, | 5 to 7 ft. .40 |
|-----------|----------------|

| | |
|------------------|-----------------|
| Black Tartarian. | Napoleon |
| Early Richmond. | Smith's. |
| Gov. Wood. | Windsor, black. |
| May Duke. | Yellow Spanish. |

| | |
|--------------------|---------------------|
| GRAPES, two years, | Each Per 10 Per 100 |
| | .15 1.30 10.00 |

| | |
|-----------------------|-----------------|
| Concord, black. | Perkins, white. |
| Early Ohio, black. | Agawam, red. |
| Moore's Early, black. | Brighton, red. |
| Wilder, black. | Delaware, red. |
| Niagara, white. | Salem, red. |

| | | Each | Per 10 | Per 100 |
|----------------------------|------------------------|------|-----------|---------|
| PEACHES, | 4 to 5 ft. | .25 | 2.00 | 18.00 |
| Belle of Georgia. | Chairs Choice. | | | |
| Carman. | Crosby. | | | |
| Champion. | Mayflower, 30 cents. | | | |
| Crawford's Early. | Mountain Rose. | | | |
| Crawford's Late. | Old Mixon Free. | | | |
| Elberta. | Stump of the World. | | | |
| Foster. | Waddell. | | | |
| PEARS, | 5 to 7 ft. | .30 | | |
| Beurre d'Anjou. | Lawrence. | | | |
| Bartlett. | Louis Bonne de Jersey. | | | |
| Beurre Bosc, 50 cents. | Osband's Summer. | | | |
| Clapp's Favorite. | Seckel. | | | |
| Duchess d'Angouleme. | Sheldon. | | | |
| PLUMS, European varieties, | 5 to 7 ft. | .30 | | |
| Coe's Golden Drop. | Lombard. | | | |
| Bradshaw. | Washington. | | | |
| German Prune. | Yellow Egg. | | | |
| Green Gage. | | | | |
| PLUMS, Japanese varieties, | 5 to 7 ft. | .30 | | |
| Abundance. | Red June. | | | |
| Burbank. | Satsuma. | | | |
| Chabot. | Wickson. | | | |
| QUINCE, | 3 to 4 ft. | .30 | | |
| Champion. | Orange. | | | |
| BLACKBERRIES, | | | .40 | 3.00 |
| Kittatiny. | Snyder. | | | |
| Leucretia (Dewberry). | | | | |
| CURRANTS, | 2 yrs. | .75 | 6.00 | |
| Black Naples. | Fay's prolific, red. | | | |
| Cherry red. | White Grape. | | | |
| GOOSEBERRIES, Downing, | 2 yrs. | .15 | 1.30 | 10.00 |
| Industry, | 2 yrs. | .20 | 1.50 | 14.00 |
| Red Jacket, | | .15 | 1.30 | |
| RASPBERRIES, | | | .40 | 3.00 |
| Blackcap. | Cuthbert. | | Miller's. | |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| ASPARAGUS, Conovers Colossal, 2 yrs. | | .15 | 1.00 |
| RHUBARB, Linnæus, | .15 | 1.00 | 6.00 |
| STRAWBERRIES, Bubach, | .15 | 1.00 | |
| Excelsior, | .15 | 1.00 | |
| Marshall, | .15 | 1.00 | |
| Nich Ohmer, | .15 | 1.00 | |
| Minute Man, | .15 | 1.00 | |
| Splendid, | .15 | 1.00 | |

Fruits wanted in quantity can be furnished on all lists received before the middle of March. Prices will be quoted on any list of varieties calling for 100 or more Apples, 100 or more Peaches, etc., etc.

Varieties of fruits not offered in this list, we can obtain, at a reasonable price, when the order is received before the middle of March.

